

MegaTwin Dyneema®

Watersports Performance

All-rounder at the highest level. Top breakload, lowest elongation and maximum life expectancy.

Performance

Competition line made with Dyneema® SK 78 fibres for extreme strength and minimal elongation.

Does it all

Highly flexible polyester cover for excellent all-round characteristics and optimal grip on the core in cleats.

Durability

Robust and durable due to the best raw materials and an extremely proven design.

Dyneema® fibre from bio-circular feedstocks

Nominal diameter	Construction
3.00 - 30.00 mm	

Gleistein

More than Ropes.

Colors



Dyneema®

Gleistein

More than Ropes.

Technical data

Elongation at 10% of the breaking load: 0.40 %

Nominal diameter [mm]	Weight [kg/100 m]	Spliced break load [kN]	Linear break load [kN]
3.00	0.72	4.50	5.00
4.00	1.00	7.00	7.78
5.00	1.70	12.00	13.33
6.00	2.60	16.50	18.33
8.00	4.00	28.00	31.11
10.00	7.00	49.00	54.44
12.00	9.90	70.00	77.78
14.00	13.00	85.00	94.44
16.00	17.50	120.00	133.33
18.00	23.70	150.00	166.67
20.00	28.00	200.00	222.22
22.00	31.00	230.00	255.56
24.00	35.00	245.00	272.22
26.00	41.00	285.00	316.67
28.00	44.00	340.00	377.78
30.00	53.00	400.00	444.44